

# No Sting Medical Adhesive Remover Spray





# CliniPeel® No Sting

### **Medical Adhesive Remover Spray**

#### **Product Description**

CliniPeel No Sting Medical Adhesive Remover Spray contains a no sting healthcare-grade silicone fluid which aids the removal of stoma pouches and other adhesive appliances from the skin. Use of the product helps to reduce skin stripping and peri-wound trauma and pain caused by the removal of adhesive appliances. CliniPeel No Sting Medical Adhesive Remover helps maintain skin integrity whilst assisting quick and easy appliance removal. It is fast-drying, leaving no residue on the skin, which allows adhesive appliances to be re-applied shortly after use.

#### **Indications for use**

CliniPeel No Sting Medical Adhesive Remover Spray is indicated for use on intact skin, facilitating the quick and easy removal of stoma bags and other adhesive appliances. This product may be used on adults and children.

#### **Contraindications**

CliniPeel No Sting Medical Adhesive Remover Spray is not intended for direct use on broken skin. If in doubt, patch test a small area prior to use.

#### Caution

Use only as directed. For external use only. Allow product to evaporate completely before covering. Do not use near eyes, ears, nose, or mouth. Avoid direct inhalation or use in enclosed spaces. May not be suitable for use on babies under 30 days old

#### **Instructions For Use**

- 1. Skin should be clean and dry prior to application.
- 2. Spray CliniPeel No Sting Medical Adhesive Remover Spray around the edge of the adhesive appliance to reduce skin trauma.
- 3. Wait a few seconds, then gently peel adhesive appliance away from the skin using additional spray to ease removal, if necessary.
- 4. Dries in seconds. Allow to evaporate completely before covering. Once dried CliniPeel No Sting Medical Adhesive Remover Spray will not affect adhesion of further appliances.

## CliniPeel® No Sting

## **Medical Adhesive Remover Spray**

#### Warning

Flammable aerosol. Pressurised container: may burst if heated. Keep away from heat, hot surfaces, sparks, open flames and other ignition source. Do not pierce or burn, even after use. Do not expose to temperatures above 50°C/122°F. Keep out of reach of children. Do not use in cases where there is a known sensitivity to any of the ingredients. Discontinue if irritation occurs and report to the manufacturer quoting the LOT number. Should redness or other signs of irritation appear, or irritation persists, consult a medical professional. If eye contact/ingestion occurs, seek immediate medical attention. Do not use if the can is damaged. Contact CliniMed in the event that the can is received damaged before use. Recycle empty cans in accordance with local regulations.

#### **Ingredients**

Siloxane

#### **Storage and Shelf Life**

Store away from direct sunlight at ambient temperature. For shelf life, refer to the expiry date on the base of the can.

	Manufacturer	[]i	Instructions for Use	誉	Keep away from Sunlight
EC REP	EC Representative	<b>W</b>	Date of Manufacture/ Country of Manufacture		Single Patient Multiple use
REF	Catalogue Number			ALU ALU	Recyclable (Aluminium)
LOT	Batch Code	Ţ	Caution/Warning	W.	Not Made with Natural Rubber Latex
MD	Medical Device		Use-by Date	-50°C	Upper Temperature Limit
UDI	Unique Device Identifier		Flammable	3	Brimful Volume
				婴	Phthalate Free

Product Code	Description		
4501	CliniPeel No Sting Medical Adhesive Remover Spray		



Rev. 05/2023 PID 11133

📲 CliniMed Ltd., Cavell House, Knaves Beech Way, Loudwater, High Wycombe, Bucks HP10 9QY, UK. Tel 01628 850100 Email info@clinimed.co.uk Web www.clinimed.co.uk CliniMed® and CliniPeel® are registered trademarks of CliniMed (Holdings) Limited. ©CliniMed 2023.

C € ĽK